

±0.05
OUTER EXPANSION TOLERANCE ±0.05 MM
OUTER EXPANSION TOLERANCE ±0.05 MM
MAX. DIAMETER
±0.05 MM
NORMAL IRRITATION STAYS CONFINED TO THE WOUND MARGIN.
MONITOR OUTER EDGE FOR CONTINUOUS DAILY OUTWARD EXPANSION.
RATE OF SPREAD DICTATES IMMEDIATE CLINICAL TRIAGE URGENCY.
EXPANDING RINGS DEMAND IMMEDIATE PROFESSIONAL MEDICAL ATTENTION.
WOUND MARGIN (STABLE IRRITATION ZONE)
DIA. 2.5 MM (REF.)
IRRITATION ZONE (MONITOR OUTWARD EXPANSION)
RATE: <1.0 MM/DAY (OBSERVE)
EXPANDING RING (INFECTION INDICATOR)
EXPANSION >2.0 MM/DAY (CRITICAL)
BIOLOGICAL TISSUE CROSS-SECTION – SPEC. MED-ENG-01 REV. A
SCALE: 10:1
APPROVED FOR TRIAGE USE
DATE: 2024-10-27
REDNESS EXPANDING 1 TO 2 MILLIMETERS DAILY INDICATES BACTERIAL INFECTION.
SPREADING REDNESS IS THE STRONGEST INFECTION DIFFERENTIATOR.
APPROVED FOR TRIAGE USE
DATE: 2024-10-27